

भारतीय प्रबंध संस्थान इंदौर
INDIAN INSTITUTE OF MANAGEMENT INDORE

प्रबंध शिखर, राऊ-पीथमपुर रोड, इंदौर - 453 556

PRABANDH SHIKHAR, RAU-PITHAMPUR ROAD, INDORE – 453 556

फ़ोन PHONE: +91-731-2439631-34; फ़ैक्स FAX: +91-731-2439800; ईमेल EMAIL: stores@iimidr.ac.in

निविदा क्रमांक/Tender No: IIMI/2019-20/19



दिनांक/ Date: July 19, 2019

विद्युत सामग्री की आपूर्ति के लिए निविदा आमंत्रण सूचना
NOTICE INVITING TENDER FOR SUPPLY OF ELECTRICAL ITEMS

(E-PROCUREMENT MODE ONLY)

भारतीय प्रबंध संस्थान इंदौर (आईआईएम इंदौर) एकल बोली प्रणाली में निम्नलिखित मदों के लिए ओईएम / अधिकृत वितरकों / अधिकृत विक्रेताओं/अधिकृत खुदरा विक्रेता से ऑनलाइन बोली (ई- टेंडर) आमंत्रित करता है।

Indian Institute of Management Indore (IIM Indore) invites online bids (e-tender) in single bid systems from OEM / authorized distributors / authorized dealers/authorized retailers for the following:

निविदा का संक्षिप्त विवरण Brief Details of Tender:

मद का विवरण Item Description	मात्रा Quantity	निविदा की अनुमानित कीमत Estimated Cost of Tender	अग्रिम जमा EMD	निविदा फीस सभी टैक्स मिलाकर Tender Fee (inclusive of all taxes)
Supply of Electrical Items	64 Items	₹23,38,000/-	₹50,000/-	₹500/-

निविदा दस्तावेज <http://eprocure.gov.in/eprocure/app> से डाउनलोड किया जा सकता है और केवल इसी पोर्टल के माध्यम से जमा किये जाने की अंतिम तिथि और समय तक प्रस्तुत किया जाना चाहिए।

The Tender Document can be downloaded from Central Public Procurement (CPP) Portal <http://eprocure.gov.in/eprocure/app> and bid is to be submitted **online** only through the same portal up to the last date and time of submission of tender.

निविदा की महत्वपूर्ण तिथियाँ Critical Dates of Tender:

क्रमांक/S. No.	विवरण/Particulars	दिनांक/Date	समय/Time
01	निविदा के ऑनलाइन प्रकाशन / डाउनलोड की तिथि एवं समय Date & Time of Online Publication/Download of Tender	19-07-2019	1730 Hrs.
02	बोली जमा करने की प्रारंभ तिथि एवं समय Bid Submission Start Date & Time	19-07-2019	1730 Hrs.
03	बोली जमा करने की अंतिम तिथि एवं समय Bid Submission Close Date & Time	31-07-2019	1500 Hrs.
04	अग्रिम जमा राशि और निविदा शुल्क जमा करने की अंतिम तिथि एवं समय Closing Date & Time for Submission of EMD & Tender Fee	31-07-2019	1500 Hrs.
05	बोलियों का खोला जाना Opening of Bids	01-08-2019	1500 Hrs.

विषय सूची
TABLE OF CONTENTS

S. No.	Description	Page no.
01	आईआईएम इंदौर के बारे में ABOUT IIM INDORE	3
02	तकनीकी विनिर्देश TECHNICAL SPECIFICATION	3-9
03	निविदा शुल्क एवं बयाना जमा विवरण TENDER FEE & EARNEST MONEY DEPOSIT DETAILS	9-10
04	पात्रता मानदंड ELIGIBILITY CRITERIA	10
05	वित्तीय बोली विवरण FINANCIAL BID DETAILS	11
06	समय सारणी TIME SCHEDULE	11
07	निविदा की उपलब्धता AVAILABILITY OF TENDER	11
08	बोली वैधता BID VALIDITY PERIOD	11
09	बोली प्रस्तुत करना BID SUBMISSION	11-13
10	बोली का खोला जाना BID OPENING	13
11	बोली का मूल्यांकन BID EVALUATION	13
12	भुगतान की शर्तें PAYMENT TERMS	13
13	गुणवत्ता और मात्रा की वारंटी WARRANTY OF QUALITY AND QUANTITY	13-14
14	हर्जाना परिसमापन LIQUIDATED DAMAGES	14
15	कार्य निष्पादन सुरक्षा विवरण PERFORMANCE SECURITY DETAILS	14
16	वितरण कार्यक्रम DELIVERY SCHEDULE	15
17	नियम और शर्तें TERMS AND CONDITIONS	15-16
18	अनुलग्नक-I ANNEXURE – I	17
19	अनुलग्नक-II ANNEXURE – II	18
20	अनुलग्नक-III ANNEXURE – III	19
21	अनुलग्नक-IV ANNEXURE – IV	20
22	अनुलग्नक-V ANNEXURE – V	21
23	अनुलग्नक-VI ANNEXURE – VI	22-29

1. ABOUT IIM INDORE

Indian Institute of Management Indore is an institution of national importance under the Indian Institutes of Management Act, 2017.

2. TECHNICAL SPECIFICATION (Schedule of Requirement):

Sr. No.	Item Name	UOM	Quantity	Specification	Required Make
1	Hand Gloves	Pair	2.00	33 KV Rubber Hand-Gloves, Size - Large, Voltage: - 33 KV, Colour: Pale Yellow, Pattern: Plain, Wear Type: Full fingered.	Any Make As Per Is: 4770-1991
2	G I Wire	Kg.	120.00	G.I. Wire 4.00 mm dia, as per IS: 280-1978 and IS: 7887-1975, The wires shall be galvanized with 'heavy coating' as per IS: 4826-1979 or the latest version thereof., grade: Annealed, Tensile strength (Mpa): 440-550, Coating (gms)/m ² : 270 (for 3.15mm), and 290 (for 4 mm and 5.00mm), Type of galvanizing: Hot dip, ISS for Zinc Coating: IS- 4826/1979 or the latest version thereof. No. of dips: 3dips of 1 min. and 1 dip of 1/2 min, Chemical composition As per IS- 7887/1975: Carbon 0.23% max, sulphur 0.55% max., Phosphorus 0.055% max.	Any Make As Per Is: 280-1978 And 7887-1975
3	33 KV Drop Out fuse	Set	1.00	33 KV Drop Out Fuse set Double stock channel type with 50 Amp fuse (Specifications: Rating Voltage: 33 KV, Highest System Voltage: 36 KV, Rated Current : 200 Amp, Minimum Air Clearance between: (a) Poles : 1300 mm, (b) Live part and earth : 500 mm, Mounting Position: Vertical, 33 KV Solid core/22 KV post Insulators shall be fitted & each insulator confirm to following specifications: 33 KV, Highest System Voltage : 36 KV, Flash Over Voltage: 1456KV.	Make Atlas Switchgear /Jaipuria Brothers/ National Switchgears/ Mahalaxmi

4	ACSR DOG Conductor	Mtr.	1,500.00	ACSR DOG Conductor as per IS - 398 (Part - II) 1996 Specification: Aluminium area (sq.mm) : Nominal - 100, Sectional - 105, Total Sectional area (Sq.mm) 118.5, Stranding & wire Diameter (Conductor (Al) - 4.72 & Conductor (Steel) 1.57, Overall Dia (mm) (Approx) 14.15, Weight mass - 394 (Al-288.3 & Steel-105.7) Kg/Km, Resistance AT 20 deg C (Ohms/Km) (Max)-0.2792, Ultimate Breaking load (Kn)- 32.41, Current Carrying Capacity - 239 Amps (65 Deg. C) 291 (75 Deg.C).	Make Atlas Switchgear /Jaipuria Brothers/ National Switchgears/ Mahalaxmi
5	33 KV Polymer Disc Insulator	No.	40.00	33 KV Polymer Disc Insulator, refrance Standard: IEC 61109, Material of sheds: Silicon Rubber, Type of metal end fittings: SGCI/MCI, Material of sealing compound: RTV Silicon, Colour of sheds: Grey, Rated Voltage 33 KV, Highest voltage: 36 KV, Dry power frequency withstand voltage: 95 KV, Wer power frequency withstand voltage: 75 KV, Dry power frequency 130 KV, Visible Discharge Voltage (PF): 27 KV, Wet power frequency: 90 KV.	Make Atlas Switchgear /Jaipuria Brothers/ National Switchgears/ Mahalaxmi
6	33 KV Polymer Pin Insulator	No.	40.00	33 KV Polymer Pin insulator with G.I. Pin, Nominal sytem voltage 33 KV, Highest system voltage 36 KV, Power frequency: 50 HzSystem Earthing 33 KV Impedence earth,Reference Standard: IEC 61109, Material of sheds: Borrion free ECR, Material of Top End Fittings: SGCI/MCI/FORGED STEEL, Material of Bottom End Fittings: FORGED STEEL, Dry Power Frequency Withstand: 95 KV, Wet Power Frequency Withstand: 75 KV, Dry Power Frequency Flashover Voltage: 130 KV,	Make Atlas Switchgear /Jaipuria Brothers/ National Switchgears/ Mahalaxmi

7	33 KV 400 AMP (3 POLE) G.O.A.B. Switch	Set	1.00	33 KV 400 Amp (3 Pole) G.O.A.B Switch, Complete with Handle, Pipe, Sq. Bar Rocking/Tilting Type (Polymeric), Specification: Type of switch - Horizontal Rotating type only, Type of cementing: To be quoted for original cemented only & as per IS-2544/1973, One minute power frequency withstand voltage dry : 95KVrms, One minute power frequency withstand voltage (wet): 75KV (rms), Visible discharge voltage 27KV (rms), Impulse withstand voltage: 170KV (peak) Across the isolating distance: 195KV (peak) To earth & between poles: 170KV.	Make Atlas Switchgear /Jaipuria Brothers/ National Switchgears/ Mahalaxmi
8	Switch 6 Amp	No.	200.00	Switch 6 Amp (Code- 5736 00) Legrand Arteor Switch - 6 A - SP 1 Way - 1 Module, Colour - White	Make Legrand
9	Contactora MNX 110	No.	4.00	Contactors MNX 110, 110 Amp, 3 Pole, 2 NO+2NC,	Make L&T
10	Drill Bit Set	No.	2.00	Drill Bit Set, for Concrete and Wall Drilling	Make Bosch/Stanley/Miranda
11	3 Phase 4 Wire Electrical Energy KWH Meter	No.	10.00	3 Phase 4 wire Electrical Energy KWH Meter	Make Hpl/Indotech/ Jaipur Static/ L&T
12	10" x 12" Hylam Bakelite Sheet	No.	10.00	Hylam Bakelite sheet, Size: 10"x12", Colour: White	Any Make
13	6" x 8" Hylam Bakelite Sheet	No.	20.00	Hylam Bakelite sheet, Size: 6"x8", Colour: White	Any Make
14	4" x 4" Hylam Bakelite Sheet	No.	20.00	Hylam Bakelite sheet, Size: 4"x4", Colour: White	Any Make
15	PVC Round Plate	No.	200.00	PVC Round plate, Colour: White, Surface finishing: Polished, Material: Plastic, Shape: Round	Any Make
16	Copper Solar Heat Vaccum Tube	No.	50.00	Copper Solar Heat Vaccum tube, Material: Copper, Tube Dimension: 58mmx1.8m, Type: Evacuated Pipe, Max Pressure: 0.6 mpa.	Make Racold Alpha/ V-Guard Win Hot/Jain Irrigation
17	1" PVC Conduit Clamp	No.	100.00	PVC Conduit Clam,Size: 1 inch	Any Make
18	3/4" PVC Conduit Clamp	No.	100.00	PVC Conduit Clamp, Size: 3/4 Inch	Any Make
19	1/2" PVC Conduit Clamp	No.	100.00	PVC Conduit Clamp, Size: 1/2 Inch	Any Make
20	PVC Box Four pole MCB	No.	20.00	PVC Box Four pole MCB	Any Make

21	PVC Box Double pole MCB	No.	20.00	PVC Box Double pole MCB	Any Make
22	PVC Box single pole MCB	No.	20.00	PVC Box single pole MCB	Any Make
23	PVC Conduit Pipe 32mm	Mtr.	75.00	PVC Conduit Pipe,(Use Electrical) Size: 32 mm Colour: Ivory White, Type: Heavy (HMS), Length: 3 Meter, Certificate: ISI	Make Modi/King/All win Electric
24	PVC Conduit Pipe 20mm	Mtr.	75.00	PVC Conduit Pipe,(Use Electrical) Size: 20 mm Colour: Ivory White, Type: Heavy (HMS), Length: 3 Meter, Certificate: ISI	Make Modi/King/All win Electric
25	PVC Capping Cassing 2 Inch	Mtr.	150.00	PVC Capping Cassing 2 Inch , Length: 3 Mtr. Size: 1 Inch, Colour: White	Make Modi/King/All win Electric
26	PVC Capping Cassing 1/5 Inch	Mtr.	150.00	PVC Capping Cassing 1/5 Inch , Length: 3 Mtr. Size: 1.5 Inch, Colour: White	Make Modi/King/All win Electric
27	3 Pin Top Plug 16 Amp	No.	50.00	3 Pin Top Plug 16 Amp, 240 Volt, Colour: White	Make Western,Anchor, Vinay
28	3 Pin Top Plug 6 Amp	No.	50.00	3 Pin Top Plug 6 Amp, 240 Volt, Colour: White	Make Western,Anchor, Vinay
29	DLP PVC trunking with Cover, 50x105mm	Mtr.	100.00	DLP PVC Trunking and Accessories with Cover (Size:105/50 mm), Length - 2 Meter, Colour - White,	Make Legrand
30	End cap for DLP PVC trunking 50x105mm	No.	20.00	End Cap DLP PVC Trunking (Size:105/50 mm), Colour - White,	Make Legrand
31	Geyser 35 LTR	No.	20.00	35 Litres Electric Geyser water Heater Vertical Instant type (Specification: Capacity - 35 Litres, BEE Rating - 5 Star, Warranty - 2 Years, Wattage - 2000 Watts).	Make Cg/Bajaj/Rec old/Usha/Jaqu ar/ V- Guard
32	Ceiling Fan 1200 mm	No.	150.00	Ceiling Fan 1200 mm (Specification: colour white, Warranty - 2 Years, Sweep - 1200 mm, Number of blades - 3 Blades, Blade type - metal, Motor speed - 1350 RPM, No of speed setting - 5, Power consumption - 75/80 Watts).	Make Bajaj/Orient/H avells/Cg/Ush a
33	Wall Fan 300 mm	No.	20.00	Wall Fan, Hi flo 3 Blade, 300 mm, Specifications: Type: Wall fan, Motor Speed: 1400 RPM, Power Consumption: 50 Watt, Number of speed settings: 3, Power requirement: AC 100-240 Volt, 50 Hz, Tilting Angle: 45 degree, Swing: 90 degree.	Make Bajaj/Orient/H avells/Almona rd

34	Exhaust Fan 450 mm	No.	10.00	Exhaust Fan 450 mm Matel body (Specification : Colour - White, Power consumption - 28 watts, Speed - 1350 RPM, Sweep - 200 mm, Air Delivary - 500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard
35	Exhaust Fan 300 mm	No.	20.00	Exhaust Fan 300 mm Matel body (Specification : Colour - White, Power consumption - 70 watts, Speed - 1350 RPM, Sweep - 300 mm, Air Delivary - 1500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard
36	Exhaust Fan 250 mm	No.	50.00	Exhaust Fan 250 mm PVC body (Specification : Colour - White, Power consumption - 40 watts, Speed - 1250 RPM, Sweep - 250 mm, Air Delivary - 500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard
37	Exhaust Fan 200 mm	No.	100.00	Exhaust Fan 200 mm PVC body (Specification : Colour - White, Power consumption - 28 watts, Speed - 1350 RPM, Sweep - 200 mm, Air Delivary - 500 cmm).	Make Bajaj/Orient/Havells/Almonard
38	Exhaust Fan 150 mm	No.	25.00	Exhaust Fan 150 mm PVC body(Specification : Colour - White, Power consumption - 22 watts, Speed - 2000 RPM, Sweep - 150 mm, Air Delivary - 240 cmm).	Make Bajaj/Orient/Havells/Almonard
39	36/40 watt tube Rod fittings with electronics chock	No.	200.00	36/40 watt tube Rod fittings with electronics chock	Make Bajaj,Cg,Philips
40	14 watt tube Rod fittings with electronics chock	No.	200.00	14 watt tube Rod fittings with electronics chock	Make Bajaj,Cg,Philips
41	Starter FS-2	No.	200.00	Starter FS-2, Power Gear Fluorescent, standard (2-Pin)	Make Bajaj,Cg,Philips
42	Tube Light Starter 36 Watt	No.	500.00	Starter 36/40 Watt for Tube Road (FTL)	Make Bajaj,Cg,Philips
43	12 Moudular PVC Plate With Gang Box	No.	20.00	12 Moudular PVC Plate With Gang Box	Make Mk
44	8 Moudular PVC Plate With Gang Box	No.	20.00	8 Moudular PVC Plate With Gang Box	Make Mk
45	4 Moudular PVC Plate With Gang Box	No.	20.00	4 Moudular PVC Plate With Gang Box	Make Legrand
46	3 Moudular PVC Plate With Gang Box	No.	20.00	3 Moudular PVC Plate With Gang Box	Make Mk
47	2.5 Sq.mm, 2 Core PVC Insulated Copper Flexible Round Cable Black	Mtr.	500.00	2.5 Sq.mm, 2 Core PVC Insulated Copper Flexible Round Cable Black (Length - 100 Meter)	Make Polycab,Finol ex,Rr Kabel,

48	6.0 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	180.00	6.0 Sq.mm FR House Gard PVC Insulated copper flexible cable 90mtr each.	Make Polycab,Finol ex,Rr Kabel,
49	4.0 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	180.00	4.0 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finol ex,Rr Kabel,
50	2.5 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	360.00	2.5 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finol ex,Rr Kabel,
51	0.75 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	270.00	0.75 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finol ex,Rr Kabel,
52	Switch 20 Amp	No.	50.00	Switch 20 Amp, DP (Model: I 1003)	Make Mk
53	SS Combind Switch 6 & 16 Amp	No.	50.00	6 &16 Amp SS Combined Switch Socket with Box.	Make Western/Anchor/Vinay
54	6 Amp two way Switch	No.	100.00	Two way Switch 6 Amp, one module	Make Western/Anchor/Vinay
55	Wall Push Switch 6 Amp	No.	100.00	Wall push Switch 6 Amp, SP 1 Way with Neon, Colour - White	Make Western/Anchor/Vinay
56	Switch & Socket Combind 16 Amp	No.	100.00	16 Amp Switch & Socket Combind (3 in 1) Heavy Duty.	Make Western/Anchor/Vinay
57	Socket 6 amp 2 in 1 Socket WH	No.	500.00	Socket 6 Amp 2 in 1 Socket WH, Colour - White	Make Western, Anchor, Vinay
58	6 Amp one way Switch	No.	100.00	Switch 6 Amp, Model - Vega, Colour - White,	Make Western, Anchor, Vinay
59	20 Watt Led Tube light Completed Fitting	No.	600.00	20 Watt Led Tube light completed fitting, 230 Volt, Color White -500 nos & warm light -100 , IP-20, Housing Plastic	Make Philips,Bajaj, Cg,Pharox, Jaquar
60	28 Watt Bright LED Tube Light	No.	200.00	28 watt Bright LED Tube Light Size: 4 Ft, (Cool Day Light White)	Make Philips,Bajaj, Cg,Pharox, Jaquar
61	20 Watt T-5 LED Tube Rod	No.	300.00	20-Watt LED Tube Rod, Size: 4 Ft, (Cool Day Light) Colour: White	Make Bajaj,Cg,Philips,Renasola
62	18 Watt LED PL-L Lamp (4 Pin)	No.	300.00	18 Watt LED PL-L Lamp (4 Pin) Product Type - LED PL-C lamp,Cool Day Light (6500K) Wattage - 18 Watt, Lumen - 1100lm, Base - G24D, Input Voltage - AC 220-240 Volt,	Make Bajaj,Cg, Philips, Renasola

63	11 Watt led PLS (2 Pin)	No.	500.00	11 Watt LED PI-c Lamp (2 pin), Product Code - RHLO11GO103 6500K, Product Type - LED PL-C lamp, Wattage - 11 Watt, Lumen - 1100lm, Base - G24D, Voltage - AC160-260 Volt, Frequency - 50/60 Hz.	Make Bajaj,Cg, Philips, Renasola
64	9 Watt LED PLS (2 Pins)	No.	500.00	9 Watt LED PI-C Lamp (2 pin), Product Code - RHL009G01 6500K, Product Type - LED PL-C lamp, Wattage - 09 Watt, Lumen - 900lm, Base - G24D, Voltage - AC160-260 Volt, Frequency - 50/60 Hz.	Make Bajaj, Cg, Philips, Renasola

3. TENDER FEE & EARNEST MONEY DEPOSIT DETAILS

- a) **Tender Fee of ₹ 500/- (Rupees Five Hundred only)** inclusive of all taxes in the form of NEFT / RTGS from Nationalized/scheduled bank in favour of Indian Institute of Management Indore, payable at Indore should be submitted.
- b) **EMD of ₹50,000/- (Rupees Fifty Thousand only)** in the form NEFT / RTGS from Nationalized/scheduled bank in favour of Indian Institute of Management Indore, payable at Indore, should be submitted.
- c) Micro and Small Enterprises (MSEs) firms as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or the firms registered with the Central Purchase Organisation or the concerned Ministry or Department or Startups as recognized by Department of Industrial Policy & Promotion (DIPP) for **all these items only**, are exempted from Tender fee/EMD. However, they have to enclose valid self-attested registration certificate(s) alongwith the tender to this effect.
- d) **The bidders who seeks exemption from Tender fee/EMD as per clause no. 3 (c) above, if they withdraw or modify their bids during the period of validity, or if they are awarded the contract and they fail to sign the contract,, they will be suspended for the period of three years or as decided by the competent authority from being eligible to submit bids for contracts with the entity that invited the bids.**
- e) EMD of all unsuccessful bidders (if any) will be returned after finalization of the tender.
- f) The amount of EMD (if any) is liable to be forfeited, if the tenderer withdraws from the offer after submission of the tender or after the acceptance of the offer and fails to complete the order.
- g) No interest will be paid on the EMD (if any) deposited / remitted.

h) The details pertaining to Tender fee/EMD (if any) are to be filled as per Annexure-I.

4. ELIGIBILITY CRITERIA

4.1 OID (Other Important Documents):

OID viz. Firm Incorporation Certificate, PAN details, GST details are to be provided.

4.2 Statutory Documents:

- a) The Bidder should give self-declaration certificate for acceptance of all terms & conditions of tender documents. A duly completed certificate to this effect is to be submitted as per the Annexure-I.
- b) The firm should be neither blacklisted by any Central / State Government / Public Undertaking / Institute nor is any criminal case registered / pending against the firm or its owner / partners anywhere in India. A duly completed certificate to this effect is to be submitted as per Annexure-II.
- c) The company should attach list of Purchase Order / Work Order where the similar type of work executed during last 7 years from the date of publication of tender.
The details of the same along with supporting document are to be submitted as per the Annexure-III.
- d) The Annual Turnover should be at least 30% of the estimated cost during each of the previous three financial years (2015-16 to 2017-18) or (2016-17 to 2018-19). Copies of duly signed trading and profit & loss accounts along with CA Certificate are to be submitted as per the Annexure-IV.
- e) The firm should be OEM / Authorized Dealer / Authorized Distributer / Authorized Retailer of the Items having authorization for sales. A duly completed valid certificate(s) to this effect is to be submitted.

4.3 Technical Criteria:

- a) Bidders should comply the minimum specification of the tendered item in all respect. The detailed format is attached at Annexure-VI. The bidder is to complete the same in all respect and submit accordingly.
- b) Queries / clarifications (if any) w.r.t. Technical Specification of items may be addressed: Project Department, IIM Indore, Tel: 0731-2439619/877, Email: project@iimidr.ac.in

5. FINANCIAL BID DETAILS

Financial bid i.e. BOQ given with tender to be uploaded after filling all relevant information, failing which the offer is liable for rejection. Kindly quote your offer on FOR IIM INDORE (inclusive of all taxes and charges).

Vendor should quote prices in BOQ only, offers indicating rates anywhere else shall be liable for rejection.

6. TIME SCHEDULE

S. No.	Particulars	Date	Time
a.	Date of Online Publication of Tender	19-07-2019	1730 Hrs.
b.	Bid Submission Start Date	19-07-2019	1730 Hrs.
c.	Bid Submission Close Date	31-07-2019	1500 Hrs.
d.	Closing Date & Time for Submission of EMD & Tender Fee	31-07-2019	1500 Hrs.
e.	Opening of Bids	01-08-2019	1500 Hrs.

7. AVAILABILITY OF TENDER

The tender document can be downloaded from <http://eprocure.gov.in/eprocure/app> and Institute website <https://www.iimidr.ac.in/tenders/> and be submitted only through <http://eprocure.gov.in/eprocure/app>.

8. BID VALIDITY PERIOD

The bid will remain valid for 90 days from the date of opening as prescribed by IIM Indore. A bid valid for a shorter period shall be rejected, being non-responsive.

9. BID SUBMISSION

9.1 Instruction to Bidder

Bidders are required to enrol on the e-Procurement module of the **Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>)** by clicking on the link "Online Bidder Enrolment" on the CPP Portal. **The registration is completely free of charge.**

Possession of a valid Class II/III DSC in the form of smart card / e-token is a prerequisite for registration and participating in the bid submission activities. DSCs can be obtained from the authorised certifying agencies recognized by CCA India (e.g. Sify/TCS/nCode/eMudhra etc).

Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.

Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.

The Bidders are required to log in to the site through the secured log-in by entering their respective user ID / password and the password of the DSC.

The CPP portal also has user manuals with detailed guidelines on enrollment and participation in the online bidding process. The user manuals can be downloaded for reference.

Any queries related to process of online bid submission or queries related to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The **Toll Free** contact numbers for the helpdesk are 1800 3070 2232, 7878007972 and 7878007973.

9.2 Online Bid Submission Procedure

Other Important Documents (OID): The file should be saved in a PDF version and should comprise of the following items:

1. [Packet-1](#): Duly Completed Scanned PDF of PAN Card.
2. [Packet-2](#): Duly Completed Scanned PDF of Registration Certificate Details.
3. [Packet-3](#): Duly Completed Scanned PDF of GST.

Cover-1: The file should be saved in a PDF version and should comprise of the following items:

1. [Packet-1](#): Duly Completed Scanned PDF copy of Annexure-I with transaction details for Tender Fee & EMD.
2. [Packet-2](#): Duly Completed Scanned PDF copy of Annexure-II.
3. [Packet-3](#): Duly Completed Scanned PDF copy of Annexure-III with supporting Documents.
4. [Packet-4](#): Duly Completed Scanned PDF copy of Annexure-IV with supporting Documents.
5. [Packet-5](#): Certificate of OEM / Authorized Dealer / Authorized Distributer /Authorized Retailer of the Items to be supplied.
6. [Packet-6](#): Duly Completed Scanned PDF copy of Annexure-V.
7. [Packet-7](#): Duly Completed Scanned PDF copy of Annexure-VI.

Cover-2: The BOQ should be downloaded from the website and should comprise of the following items.

1. [Packet-1](#): Financial Bids in XLS version Filled with all relevant information.

9.3 Online Submission of Tender Fee & Earnest Money Deposit (EMD)

It is also required to submit Tender Fee & EMD through NEFT or RTGS at the following account before 31-07-2019 at 1500 Hrs.

Name of Beneficiary: Indian Institute of Management Indore

Address: Rau-Pithampur Road, Indore-453556, M.P.

Account No.: 53018623445

Name of the Bank: State Bank of India

Branch Address: IIM Indore Campus

IFSC Code: SBIN0030525

10. BID OPENING

- a) Bids will be opened on 01-08-2019 at 1500 Hrs.
- b) **Bids should be summarily rejected, if tender is submitted other than through online or original EMD & tender fee are not submitted within stipulated date / time.**

11. BID EVALUATION

Based on results of the Technical evaluation IIM Indore evaluates the Commercial Bid of those Bidders who qualify in the Technical evaluation. The Commercial Bid with the lowest price will be the highest evaluated bid.

12. PAYMENT TERMS

- a) No advance payment will be made in any case. Bills in Duplicate should be sent and the payment shall be released generally within 30 days, only after it is ensured that the items / quality of the items supplied are to the entire satisfaction of IIM Indore and completed the entire work within the stipulated delivery schedule. If any item is found defective, or not of the desired quality etc., the same should be replaced by the firm(s) immediately for which no extra payment shall be made.
- b) No part payment will be made against the part supply. In case of the undelivered items till due date of supply, the penalty of 10% of the cost of undelivered item will be imposed and deducted from the bill of the item supplied or recovered from the EMD.

13. WARRANTY OF QUALITY AND QUANTITY

- a) The awardee shall give minimum warranty on the item at Sr. No. 31 to 38 of Technical BID (Annexure-VI) as mentioned respectively.

- b) The awardee shall give warranty that all items are as per specification(s), conforming to the specified design and there are no defects in the process of manufacturing, packaging, transportation and delivery.
- c) Upon receipt of notice from IIM Indore for defective material, the firm shall **within 7 days** of receipt of the notice, replace the defective material, free of cost at the destination. The firm shall take over the defective material at the time of their replacement. No claim whatsoever shall lie on IIM Indore for the replaced goods thereafter. If the firm fails to replace the defective goods within a reasonable period, IIM Indore may proceed to take such remedial actions as may be necessary, at the company's risk and expense.

14. LIQUIDATED DAMAGES

In case of delay in supply / replacement by the stipulated date, IIM Indore reserves the right of imposing penalty @0.5% per week on the value of the supplied items subject to maximum 10% of the cost of supplied items.

15. PERFORMANCE SECURITY DETAILS

- a) **For the items at Sr. no. 31 to 38:** The successful bidder have to deposit the performance security valid for **15 Months** in the form of DD / TDR / FDR / Bank Guarantee @ 5% of the total value of order within 15 days from the date of issue of the award of order. The performance security deposit is applicable to all qualified bidders irrespective of bidders registered with MSME etc. No interest will be paid by IIM Indore on the deposit.
- b) **For remaining items:** EMD of the successful bidders will be converted in Performance Security Deposit and the same will return back after successful completion of supplies of the ordered items. No interest will be paid by IIM Indore on the deposit.
- c) Performance Security will be refunded to the supplier, after it duly performs and completes the contract/warranty period in all respect.
- d) Performance Security will be forfeited if the firm fails to perform/abide by any of the terms or conditions of the contract.
- e) In case, the firm fails to execute the order successfully, within specified delivery period, the same goods/items will be procured from open market and the difference of cost, if any, will be recovered from Performance Security or from pending bill(s) of the defaulting firm or from both in case the recoverable amount exceeds the amount of Performance Security.
- f) In case of non-receipt of Security Deposit within the stipulated time, EMD will be converted into Security Deposit and the balance amount will be recovered from the bill submitted for the payment.

16. DELIVERY SCHEDULE

The successful bidder should execute the order within **30 days** at designated locations of IIM Indore from the receipt of the purchase order. In case of any damage found, the item(s) should be replaced **within 7 days** at IIM Indore. The bidder has to make own arrangement for unloading of the items.

17. TERMS AND CONDITIONS

17.1 Termination for Insolvency

- a) The IIM Indore may at any time terminate the Contract by giving a written notice to the awarding firm, without compensation to the firm, if the firm becomes bankrupt or otherwise insolvent as declared by the competent Court, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the department.
- b) The courts of Indore alone will have the jurisdiction to try any matter, dispute or reference between the parties arising out of this purchase. It is specifically agreed that no court outside and other than Indore Court shall have jurisdiction in the matter

17.2 Force Majeure

- a) Should any force majeure circumstances arise, each of the contracting parties be excused for the non-fulfillment or for the delayed fulfillment of any of its contractual obligations, if the affected party within 15 days of its occurrence informs in a written form the other party.
- b) Force Majeure shall mean fire, flood, natural disaster or other acts such as war, turmoil, sabotage, explosions, epidemics, quarantine restriction, strikes, and lockouts i.e. beyond the control of either party.

17.3. Arbitration

In the event of any dispute or difference arising under this Tender, the Director, IIM Indore or his nominee is the arbitrator and the decision of the arbitration will be binding on both parties.

17.4. Other Conditions

- a) **The bidder has to upload the relevant & readable files only as indicated in the tender documents. In case of any irrelevant or non-readable files, the bid may be rejected.**
- b) IIM Indore reserves the right to accept or reject any or all the tenders in part or in full or may cancel the tender, without assigning any reason thereof.

- c) IIM Indore reserves the right to relax / amend / withdraw any of the terms and conditions contained in the Tender Document without assigning any reason thereof. Any inquiry after submission of the quotation will not be entertained.
- d) IIM Indore reserves the right to modify/change/delete/add any further terms and conditions prior to issue of purchase order.
- e) IIM Indore reserves the right to increase / decrease upto 25% of the quantities prior to issue of purchase order or during currency of the contract.
- f) IIM Indore reserves the right to place repeat order upto 100% of the quantities within a period of 12 months from the date of successful completion of purchase order at the same rates and terms subject to the condition that there is no downward trend in prices.
- g) In case the bidders/successful bidder(s) are found in breach of any condition(s) at any stage of the tender, Earnest Money shall be forfeited.
- h) Conditional tenders will not be considered in any case.
- i) In case of doubt in material, the expenditure on testing of equipment will be borne by the tenderer.
- j) IIM Indore shall not be responsible for any transaction delay i.e. non-receipt of the EMD & Tender Fee amount.
- k) Tender fees will not be refunded if the bidder does not submit the online bid on CPP portal by due date and time
- l) **IIM Indore reserves the right to place the order to overall lowest bidder or split the order to more than one bidder at the respective lowest price.**
- m) **IIM Indore may issue amendment/corrigendum to tender documents before due date of submission of bid. Any amendment/corrigendum to the tender document if any, issued by IIM Indore will be posted on CPP Portal. For the bidders, submitting bids on downloaded tender document, it is 'bidders' responsibility to check for any amendment/corrigendum on the website of IIM Indore or check for the same CPP Portal before submitting their duly completed bids.**

ANNEXURE – I

Undertaking

To
Officer (Stores and Purchase)
Indian Institute of Management Indore
Prabandh Shikhar,
Rau – Pithampur Road
Indore

Ref : - NIT No. IIMI/2019-20/19 dated 19-07-2019
(Notice Inviting Tender for Supply of Electrical Items)

Sir,

1. I /we hereby submit our bid for Supply of Electrical Items.
2. I/ We are enclosed herewith the following in favour of Indian Institute of Management Indore towards Tender Fee & EMD.

Particular	Amount	Transaction No. & Date	Bank Name	Supporting documents are to be attached along with the Annexure-I
Tender Fee (Including Tax)	₹500/-			
EMD	₹50,000/-			

3. I / We hereby reconfirm and declare that I / We have carefully read, understood & complying the above referred tender document including instructions, terms & conditions, scope of work, schedule of quantities, Penalty clause and all the contents stated therein.
4. I /we shall abide by all conditions set forth therein.

Thanking you

Yours faithfully,

(Authorized Signatory with Seal)


ANNEXURE – II

**CERTIFICATE
(to be provided on letter head of the firm)**

I hereby certify that the above firm neither blacklisted by any Central/State Government/Public Undertaking/Institute nor is any criminal case registered / pending against the firm or its owner / partners anywhere in India.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

Date:



Place:

Authorized Signatory

Name:

Designation:

Contact No.:


ANNEXURE – III

Work Order Details:

Evaluation Criteria	Name of the Client	Order No. & Date	Amount	Remark
<p>List of Purchase Order / Work Order where the similar type of Work executed by you during last 7 years from the date of publication of tender</p>	1.			<p>Supporting document are to be attached along with the Annexure-III</p>
	2.			
	3.			
	4.			
	5.			
	6.			

Date:

Place:



Authorized Signatory

Name:

Designation:


Contact No.:

ANNEXURE – IV

Annual Turnover Details:

Evaluation Criteria			Remark
Turnover following last three financial years 2015-16 to 2017-18 OR 2016-17 to 2018-19	Financial Year	Turnover in Rs.	Supporting Documents are to be attached along with the Annexure-IV
	2018-19		
	2017-18		
	2016-17		
	2015-16		

Date:



Place:

Authorized Signatory:

Name:

Designation:

Contact No.:

ANNEXURE –V**COMPANY DETAILS**

Name of the Party		
Date of Incorporation / Establishment		
PAN Number		
GST Registration Number		
Bank Details	Account Number	
	IFS Code	
	Bank Name	
	Branch Name	
Office Address for Postal Communication		
Authorized Signatory Details	Name	
	Designation	
	Email	
	Phone	
Details of Contact other than Authorized Signatory	Name	
	Designation	
	Email	
	Phone	

Signature and Seal of the Tenderer:

Name in Block Letter:

Designation:

Contact no.

Date:

ANNEXURE – VI

TECHNICAL BID

Sr No	Item Name	UOM	Quantity	Specification	Required Make	Complied (Yes / No)	Offered Make & Model	Offered Warranty
1	Hand Gloves	Pair	2.00	33 KV Rubber Hand-Gloves, Size - Large, Voltage: - 33 KV, Colour: Pale Yellow, Pattern: Plain, Wear Type: Full fingered.	Any Make As Per Is: 4770-1991			
2	G I Wire	Kg.	120.00	G.I. Wire 4.00 mm dia, as per IS: 280-1978 and IS: 7887-1975, The wires shall be galvanized with 'heavy coating' as per IS: 4826-1979 or the latest version thereof., grade: Annealed, Tensile strength (Mpa): 440-550, Coating (gms)/m ² : 270 (for 3.15mm), and 290 (for 4 mm and 5.00mm), Type of galvanizing: Hot dip, ISS for Zinc Coating: IS- 4826/ 1979 or the latest version thereof. No. of dips: 3dips of 1 min. and 1 dip of 1/2 min, Chemical composition As per IS- 7887/1975: Carbon 0.23% max, sulphur 0.55% max., Phosphorus 0.055% max.	Any Make As Per Is: 280-1978 And 7887-1975			
3	33 KV Drop Out fuse	Set	1.00	33 KV Drop Out Fuse set Double stock channel type with 50 Amp fuse (Specifications: Rating Voltage: 33 KV, Highest System Voltage: 36 KV, Rated Current : 200 Amp, Minimum Air Clearance between: (a) Poles : 1300 mm, (b) Live part and earth : 500 mm, Mounting Position: Vertical, 33 KV Solid core/22 KV post Insulators shall be fitted & each insulator conform to following specifications: 33 KV, Highest System Voltage : 36 KV, Flash Over Voltage: 1456KV.	Make Atlas Switchgear/Jaipuria Brothers / National Switchgears/ Mahalaxmi			

4	ACSR DOG Conductor	Mtr.	1,500.00	<p>ACSR DOG Conductor as per IS - 398 (Part - II) 1996</p> <p>Specification: Aluminium area (sq.mm) : Nominal - 100, Sectional - 105, Total Sectional area (Sq.mm) 118.5, Stranding & wire Diameter (Conductor (Al) - 4.72 & Conductor (Steel) 1.57, Overall Dia (mm) (Approx) 14.15, Weight mass - 394 (Al-288.3 & Steel-105.7) Kg/Km, Resistance AT 20 deg C (Ohms/Km) (Max)-0.2792, Ultimate Breaking load (Kn)- 32.41, Current Carrying Capacity - 239 Amps (65 Deg. C) 291 (75 Deg.C).</p>	Make Atlas Switchgear/Jaipuria Brothers / National Switchgears/ Mahalaxmi			
5	33 KV Polymer Disc Insulator	No.	40.00	<p>33 KV Polymer Disc Insulator, refrance Standard: IEC 61109, Material of sheds: Silicon Rubber, Type of metal end fittings: SGCI/MCI, Material of sealing compound: RTV Silicon, Colour of sheds: Grey, Rated Voltage 33 KV, Highest voltage: 36 KV, Dry power frequency withstand voltage: 95 KV, Wer power frequency withstand voltage: 75 KV, Dry power frequency 130 KV, Visible Discharge Voltage (PF): 27 KV, Wet power frequency: 90 KV.</p>	Make Atlas Switchgear/Jaipuria Brothers / National Switchgears/ Mahalaxmi			
6	33 KV Polymer Pin Insulator	No.	40.00	<p>33 KV Polymer Pin insulator with G.I. Pin, Nominal sytem voltage 33 KV, Highest system voltage 36 KV, Power frequency: 50 HzSystem Earthing 33 KV Impedence earth,Reference Standard: IEC 61109, Material of sheds: Borrion free ECR, Material of Top End Fittings: SGCI/MCI/FORGED STEEL, Material of Bottom End Fittings: FORGED STEEL, Dry Power Frequency Withstand: 95 KV, Wet Power Frequency Withstand: 75 KV, Dry Power Frequency Flashover Voltage: 130 KV,</p>	Make Atlas Switchgear/Jaipuria Brothers / National Switchgears/ Mahalaxmi			

7	33 KV 400 AMP (3 POLE) G.O.A.B. Switch	Set	1.00	33 KV 400 Amp (3 Pole) G.O.A.B Switch, Complete with Handle, Pipe, Sq. Bar RockingTilting Type (Polymeric), Specification: Type of switch - Horizontal Rotating type only, Type of cementing: To be quoted for original cemented only & as per IS- 2544/1973, One minute power frequency withstand voltage dry : 95KVrms, One minute power frequency withstand voltage (wet): 75KV (rms), Visible discharge voltage 27KV (rms), Impulse withstand voltage: 170KV (peak) Across the isolating distance: 195KV (peak) To earth & between pols: 170KV.	Make Atlas Switchgear/Jai puria Brothers / National Switchgears/ Mahalaxmi			
8	Switch 6 Amp (Code- 5736 00)	No.	200.00	Switch 6 Amp (Code- 5736 00) Legrand Arteor Switch - 6 A - SP 1 Way - 1 Module, Colour - White	Make Legrand			
9	Contactora MNX 110	No.	4.00	Contactors MNX 110, 110 Amp, 3 Pole, 2 NO+2NC,	Make L&T			
10	Drill Bit Set	No.	2.00	Drill Bit Set, for Concrete and Wall Drilling	Make Bosch/Stanley/ Miranda			
11	3 Phase 4 Wire Electrical Energy KWH Meter	No.	10.00	3 Phase 4 wire Electrical Energy KWH Meter	Make Hpl/Indotech/Jai pur Static/ L&T			
12	10" x 12" Hylam Bakelite Sheet	No.	10.00	Hylam Bakelite sheet, Size: 10"x12", Colour: White	Any Make			
13	6" x 8" Hylam Bakelite Sheet	No.	20.00	Hylam Bakelite sheet, Size: 6"x8", Colour: White	Any Make			
14	4" x 4" Hylam Bakelite Sheet	No.	20.00	Hylam Bakelite sheet, Size: 4"x4", Colour: White	Any Make			
15	PVC Round Plate	No.	200.00	PVC Round plate, Colour: White, Surface finishing: Polished, Material: Plastic, Shape: Round	Any Make			

16	Copper Solar Heat Vaccum Tube	No.	50.00	Copper Solar Heat Vaccum tube, Material: Copper, Tube Dimension: 58mmx1.8m, Type: Evacuated Pipe, Max Pressure: 0.6 mpa.	Make Racold Alpha/ V-Guard Win Hot/Jain Irrigation			
17	1" PVC Conduit Clamp	No.	100.00	PVC Conduit Clam,Size: 1 inch	Any Make			
18	3/4" PVC Conduit Clamp	No.	100.00	PVC Conduit Clamp, Size: 3/4 Inch	Any Make			
19	1/2" PVC Conduit Clamp	No.	100.00	PVC Conduit Clamp, Size: 1/2 Inch	Any Make			
20	PVC Box Four pole MCB	No.	20.00	PVC Box Four pole MCB	Any Make			
21	PVC Box Double pole MCB	No.	20.00	PVC Box Double pole MCB	Any Make			
22	PVC Box single pole MCB	No.	20.00	PVC Box single pole MCB	Any Make			
23	PVC Conduit Pipe 32mm	Mtr.	75.00	PVC Conduit Pipe,(Use Electrical) Size: 32 mm Colour: Ivory White, Type: Heavy (HMS), Length: 3 Meter, Certificate: ISI	Make Modi/King/Allwin Electric			
24	PVC Conduit Pipe 20mm	Mtr.	75.00	PVC Conduit Pipe,(Use Electrical) Size: 20 mm Colour: Ivory White, Type: Heavy (HMS), Length: 3 Meter, Certificate: ISI	Make Modi/King/Allwin Electric			
25	PVC Capping Cassing 2 Inch	Mtr.	150.00	PVC Capping Cassing 2 Inch , Length: 3 Mtr. Size: 1 Inch, Colour: White	Make Modi/King/Allwin Electric			
26	PVC Capping Cassing 1/5 Inch	Mtr.	150.00	PVC Capping Cassing 1/5 Inch , Length: 3 Mtr. Size: 1.5 Inch, Colour: White	Make Modi/King/Allwin Electric			
27	3 Pin Top Plug 16 Amp	No.	50.00	3 Pin Top Plug 16 Amp, 240 Volt, Colour: White	Make Western,Anchor , Vinay			
28	3 Pin Top Plug 6 Amp	No.	50.00	3 Pin Top Plug 6 Amp, 240 Volt, Colour: White	Make Western,Anchor , Vinay			
29	DLP PVC trunking with Cover, 50x105mm	Mtr.	100.00	DLP PVC Trunking and Accessories with Cover (Size:105/50 mm), Length - 2 Meter, Colour - White,	Make Legrand			

30	End cap for DLP PVC trunking 50x105mm	No.	20.00	End Cap DLP PVC Trunking (Size:105/50 mm), Colour - White,	Make Legrand			
31	Geyser 35 LTR	No.	20.00	35 Litres Electric Geyser water Heater Vertical Instant type (Specification: Capacity - 35 Litres, BEE Rating - 5 Star, Warranty - 2 Years, Wattage - 2000 Watts).	Make Cg/Bajaj/Recold /Usha/Jaquar/ V- Guard			2 Years
32	Ceiling Fan 1200 mm	No.	150.00	Ceiling Fan 1200 mm (Specification: colour white, Warranty - 2 Years, Sweep - 1200 mm, Number of blades - 3 Blades, Blade type - metal, Motor speed - 1350 RPM, No of speed setting - 5, Power consumption - 75/80 Watts).	Make Bajaj/Orient/Havells/Cg/Usha			2 Years
33	Wall Fan 300 mm	No.	20.00	Wall Fan, Hi flo 3 Blade, 300 mm, Specifications: Type: Wall fan, Motor Speed: 1400 RPM, Power Consumption: 50 Watt, Number of speed settings: 3, Power requirement: AC 100-240 Volt, 50 Hz, Tilting Angle: 45 degree, Swing: 90 degree.	Make Bajaj/Orient/Havells/Almonard			1 Year
34	Exhaust Fan 450 mm	No.	10.00	Exhaust Fan 450 mm Matel body (Specification : Colour - White, Power consumption - 28 watts, Speed - 1350 RPM, Sweep - 200 mm, Air Delivery - 500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard			1 Year
35	Exhaust Fan 300 mm	No.	20.00	Exhaust Fan 300 mm Matel body (Specification : Colour - White, Power consumption - 70 watts, Speed - 1350 RPM, Sweep - 300 mm, Air Delivery - 1500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard			1 Year
36	Exhaust Fan 250 mm	No.	50.00	Exhaust Fan 250 mm PVC body (Specification : Colour - White, Power consumption - 40 watts, Speed - 1250 RPM, Sweep - 250 mm, Air Delivery - 500 cmm, Warranty - 1 Year).	Make Bajaj/Orient/Havells/Almonard			1 Year

37	Exhaust Fan 200 mm	No.	100.00	Exhaust Fan 200 mm PVC body (Specification : Colour - White, Power consumption - 28 watts, Speed - 1350 RPM, Sweep - 200 mm, Air Delivary - 500 cmm).	Make Bajaj/Orient/Havells/Almonard			1 Year
38	Exhaust Fan 150 mm	No.	25.00	Exhaust Fan 150 mm PVC body(Specification : Colour - White, Power consumption - 22 watts, Speed - 2000 RPM, Sweep - 150 mm, Air Delivary - 240 cmm).	Make Bajaj/Orient/Havells/Almonard			1 Year
39	36/40 watt tube Rod fittings with electronics chock	No.	200.00	36/40 watt tube Rod fittings with electronics chock	Make Bajaj,Cg,Philips			
40	14 watt tube Rod fittings with electronics chock	No.	200.00	14 watt tube Rod fittings with electronics chock	Make Bajaj,Cg,Philips			
41	Starter FS-2	No.	200.00	Starter FS-2, Power Gear Fluorescent, standard (2-Pin)	Make Bajaj,Cg,Philips			
42	Tube Light Starter 36 Watt	No.	500.00	Starter 36/40 Watt for Tube Road (FTL)	Make Bajaj,Cg,Philips			
43	12 Moudular PVC Plate With Gang Box	No.	20.00	12 Moudular PVC Plate With Gang Box	Make Mk			
44	8 Moudular PVC Plate With Gang Box	No.	20.00	8 Moudular PVC Plate With Gang Box	Make Mk			
45	4 Moudular PVC Plate With Gang Box	No.	20.00	4 Moudular PVC Plate With Gang Box	Make Legrand			
46	3 Moudular PVC Plate With Gang Box	No.	20.00	3 Moudular PVC Plate With Gang Box	Make Mk			
47	2.5 Sq.mm, 2 Core PVC Insulated Copper Flexible Round Cable Black	Mtr.	500.00	2.5 Sq.mm, 2 Core PVC Insulated Copper Flexible Round Cable Black (Length - 100 Meter)	Make Polycab,Finolex, Rr Kabel,			

48	6.0 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	180.00	6.0 Sq.mm FR House Gard PVC Insulated copper flexible cable 90mtr each.	Make Polycab,Finolex, Rr Kabel,			
49	4.0 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	180.00	4.0 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finolex, Rr Kabel,			
50	2.5 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	360.00	2.5 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finolex, Rr Kabel,			
51	0.75 Sq.mm FR House Gard PVC Insulated copper flexible cable	Mtr.	270.00	0.75 Sq.mm FR House Gard PVC Insulated copper flexible cable (Each coil 90mtr).	Make Polycab,Finolex, Rr Kabel,			
52	Switch 20 Amp	No.	50.00	Switch 20 Amp, DP (Model: I 1003)	Make Mk			
53	SS Combind Switch 6 & 16 Amp	No.	50.00	6 & 16 Amp SS Combined Switch Socket with Box.	Make Western/Anchor /Vinay			
54	6 Amp two way Switch	No.	100.00	Two way Switch 6 Amp, one module	Make Western/Anchor /Vinay			
55	Wall Push Switch 6 Amp	No.	100.00	Wall push Switch 6 Amp, SP 1 Way with Neon, Colour - White	Make Western/Anchor /Vinay			
56	Switch & Socket Combind 16 Amp	No.	100.00	16 Amp Switch & Socket Combind (3 in 1) Heavy Duty.	Make Western/Anchor /Vinay			
57	Socket 6 amp 2 in 1 Socket WH	No.	500.00	Socket 6 Amp 2 in 1 Socket WH, Colour - White	Make Western, Anchor, Vinay			
58	6 Amp one way Switch	No.	100.00	Switch 6 Amp, Model - Vega, Colour - White,	Make Western, Anchor, Vinay			
59	20 Watt Led Tube light Completed Fitting	No.	600.00	20 Watt Led Tube light completed fitting, 230 Volt, Color White -500 nos & warm light -100 , IP-20, Housing Plastic	Make Philips,Bajaj,Cg, Pharox,Jaquar			
60	28 Watt Bright LED Tube Light	No.	200.00	28 watt Bright LED Tube Light Size: 4 Ft, (Cool Day Light White)	Make Philips,Bajaj,Cg,			

					Pharox,Jaquar			
61	20 Watt T-5 LED Tube Rod	No.	300.00	20-Watt LED Tube Rod, Size: 4 Ft, (Cool Day Light) Colour: White	Make Bajaj,Cg,Philips, Renasola			
62	18 Watt LED PL-L Lamp (4 Pin)	No.	300.00	18 Watt LED PL-L Lamp (4 Pin) Product Type - LED PL-C lamp,Cool Day Light (6500K) Wattage - 18 Watt, Lumen - 1100lm, Base - G24D, Input Voltage - AC 220-240 Volt,	Make Bajaj,Cg,Philips, Renasola			
63	11 Watt led PLS (2 Pin)	No.	500.00	11 Watt LED PL-c Lamp (2 pin), Product Code - RHLO11GO103 6500K, Product Type - LED PL-C lamp, Wattage - 11 Watt, Lumen - 1100lm, Base - G24D, Voltage - AC160-260 Volt, Frequency - 50/60 Hz.	Make Bajaj,Cg,Philips, Renasola			
64	9 Watt LED PLS (2 Pins)	No.	500.00	9 Watt LED PL-C Lamp (2 pin), Product Code - RHL009G01 6500K, Product Type - LED PL-C lamp, Wattage - 09 Watt, Lumen - 900lm, Base - G24D, Voltage - AC160-260 Volt, Frequency - 50/60 Hz.	Make Bajaj,Cg,Philips, Renasola			

Note- The bidder has to quote only for those items for which he is having authorized OEM / Authorized Dealer / Authorized Distributer / Authorized Retailer certificate

Date:

Authorized Signatory:

Place

Name:

Designation:

Contact No.:

