

भारतीय प्रबंध संस्थान इन्दौर

प्रबंध शिखर, राऊ-पीथमपुर रोड, इन्दौर - 453 556 (म.प्र.), भारत

INDIAN INSTITUTE OF MANAGEMENT INDORE

Prabandh Shikhar, Rau-Pithampur Road, Indore - 453 556 (M.P.), India

IIM // Estate / 2024 / 486 / 1676

May 27, 2024

Corrigendum: 2

Tender Reference No.

: IIMI/Estate/09/2024/214 File No. 486

Tender ID

: 2024_IIMID_807259_1

Tender Title

: "Supply & Installation of Venetian Blinds at various

locations in IIM Indore".

The following amendment is hereby made in the aforesaid tender:

S. No.	Description	Written in NIT Document / Corrigendum / BOQ	Shall be read as
1	Name of work	Supply & Installation of Venetian Blinds at various locations in IIM Indore.	Supply & Installation of Roller Blinds at various locations in IIM Indore.
2	Work Experience (Clause No 1 of A. (Minimum Eligibility Criteria) of D. (Eligibility Criteria, Evaluation and Selection of Contractor)	Experience of having successfully completed similar works during the last five years ending previous day of last date of submission of tenders (Joint Ventures are not allowed): One similar completed work in any central government department, PSUs & Autonomous bodies, costing not less than the amount equal to 80% i.e. Rs. 4,38,700/- of the estimated cost put to tender. OR Two similar completed works in any central government department, PSUs & Autonomous bodies, each costing not less than the amount equal to 60% i.e. Rs.	Experience of having successfully completed similar works during the last five years ending previous day of last date of submission of tenders (Joint Ventures are not allowed): One similar completed work costing not less than the amount equal to 80% i.e. Rs. 4,38,700/- of the estimated cost put to tender. OR Two similar completed works each costing not less than the amount equal to 60% i.e. Rs. 3,29,025/- of the estimated cost put to tender. OR Three similar completed works each costing not less than the amount equal to 40% i.e. Rs.
		3,29,025/- of the estimated cost put to tender.	2,19,350/- of estimated cost put to tender.

क्स/Fax: +91-731-2439800, वेबसाइट/Website: https://www.iimidr.ac.in

All amounts rounded off to a Three similar completed works convenient full figure. in any central government Note department, PSUs & Autonomous bodies, each i: Similar work means costing not less than the "Interior Fit-Out works amount equal to 40% i.e. Rs. including Installation of Blinds". **2,19,350/-** of estimated cost put to tender. ii: The completion certificate issued from All amounts rounded off to a clients should indicate the convenient full figure. date of commencement, Note period of completionstipulated & actual, i: Similar work means awarded cost & cost at "Supply & Installation of completion, quality of work Venetian Blinds". done, reason for delay (if ii: The completion any) etc. certificate issued from clients should indicate the date of commencement, period of completionstipulated & actual, awarded cost & cost at completion, quality of work done, reason for delay (if any) etc. Supplying & Installation of Supplying & Installation of Roller Blinds (Vento blinds Venetian Blinds (Vento blinds pleated fabric) in Classroom (I pleated fabric) in Classroom (I Block, G Block, H Block, M Block, G Block, H Block, M Block) including syndicate Block) including syndicate rooms, Mess Dining Hall (Mess rooms, Mess Dining Hall (Mess No. - 1, 2 & 4) and ER-3 rooms No. - 1, 2 & 4) and ER-3 rooms and common rooms complete and common rooms complete as per direction of the as per direction of the engineer in charge. engineer in charge. Technical Specifications -Technical Specifications -Width of Fabric - minimum 2.5 Width of Fabric - minimum 2.5 Mtr. Mtr. 3 BOQ Item No. 1 Pattern & Colour - To be Pattern & Colour - To be decided by the client. decided by the client. Composition - 100% Polyester Composition - 100% Polyester Weight - 185 gm+/5% Weight - 185 gm+/5% Thickness - 0.37mm+/-Thickness - 0.37mm+/-0.05 mm0.05mm Coating Type - Acrylic Coating Coating Type - Acrylic Coating Light Transmission - Depend **Light Transmission - Depend** on colour. on colour. Care Instruction - Spongable Care Instruction - Spongable (Fire Classification - NFPA (Fire Classification - NFPA 701-200+TN#1) 701-200+TN#1)

Mechanism Specifications -

Mechanism Specifications -

Tube diameter not less than	Tube diameter not less than
43 mm diameter with	43 mm diameter with
stabilizer profiles inside.	stabilizer profiles inside.
Manual control via pvc thread	Manual control via pvc thread
operated open/close system.	operated open/close system.
Fixed to walls with bracket.	Fixed to walls with bracket.
Powder coated Aluminium	Powder coated Aluminium
bottom bar with caps on both	bottom bar with caps on both
ends.	ends.
Load capacity - Minimum 2	Load capacity - Minimum 2
Kg/linear meter	Kg/linear meter

Executive Engineer (Estate)